

# CITY DIAGNOSTIC LABORATORY



Fully Automated & Computerized

Technician:-  
DALWINDER SINGH  
(D.M.L.T.)

CHODARAN ROAD, BUS STAND BUGGA KALAN (FATEHGARH SAHIB) (M) 84275-26751, 70098-01524

Name : RAHUL KUMAR DEPTT-BoILER Age: 28/Male Date: 29-09-2025  
Ref By Dr....  
Investigation: CBC Test

TEST NAME	RESULT	UNIT	NORMAL RANGE
-----------	--------	------	--------------

## COMPLETE BLOOD COUNT (CBC)

Haemoglobin (HB)	13.7	g/dl	12.0-17.0
Total WBC Count	6,600	/cumm	4000-10000
Differential Leucocyte Count			
Neutrophil	51.6	%	40.0-80.0
Lymphocyte	40.9	%	20.0-40.0
Mid	7.5	%	2-10
Absolute Neutrophils	4.5	1000/ $\mu$ L	2.00-7.00
Absolute Lymphocytes	13	1000/ $\mu$ L	1.00-3.00
Absolute Mid	0.7	1000/ $\mu$ L	0.20-1.00
RBC Count	4.14	Millions/cumm	3.7-5.2
Haematocrit (PCV)	37.2	%	36.0-50.0
MCV	89.9	fL	80-100
MCH	33.1	pg	27.0-32.0
MCHC	36.8	g/dL	27.0-48.0
RDW-CV	15.7	%	11.5-14.0
RDW-SD	49.3	fL	36-56
Platelet Count	1,57,000	/uL	150000-450000
MPV	10.3	%	9.1-11.9
PDW	15.6	%	9.0-15.0
PCT	0.161	%	0.180-0.390

### Interpretation:

Complete Blood Count (CBC) helps understand the number, size, and characteristics of different blood cells, which can provide clues about overall health and potential conditions. It's a common test used to detect issues like anemia, infections, and other blood disorders.

Reference ranges: Labs may have slightly different reference ranges, so it's important to compare results to the specific lab's guidelines.

Abnormal results: Abnormal CBC results don't always mean there's a serious problem, and further investigation may be needed to determine the cause.

Technologist

BIOCHEMISTRY ANALYZER FULLY AUTOMATED HEMATOLOGY CELL COUNTER

Pathary, Dr. Lal Path, CML Diagnostics.

# CITY DIAGNOSTIC LABORATORY



Fully Automated & Computerized

Technician:-

DALWINDER SINGH

(D.M.L.T.)

CHODDARAN ROAD, BUS STAND BUGGA KALAN (FATEHGARH SAHIB)

(M) 84275-26751, 70098-01524

Name : RAHUL KUMAR DEPTT- BOILER Age: 28/Male Date: 29-09-2025

Ref By Dr....

Investigation: Billi, HBSAG Test

TEST NAME	RESULT	UNIT	NORMAL RANGE
-----------	--------	------	--------------

## BIO-CHEMISTRY

Bilirubin Total	0.70	mg/dl	<1.1
-----------------	------	-------	------

Bilirubin is a yellowish substance produced during the breakdown of red blood cells. It's a key component of bile, a fluid that helps with digestion, and is processed by the liver. High bilirubin levels can indicate liver problems or other medical conditions, potentially causing jaundice (yellowing of the skin and eyes).

## SEROLOGY

HBs'Ag

'NEGATIVE'

**Hepatitis B surface antigen** a protein found on the surface of the Hepatitis B virus. It helps determine if someone has been infected with the virus and can indicate the presence of either an acute or chronic infection. A positive result means the person is contagious and has an active infection.

\*\*\*END OF REPORT\*\*\*

Technologist

BIOCHEMISTRY ANALYZER FULLY AUTOMATED HEMATOLOGY CELL COUNTER

Authorised Collection Center:- Ranbaxy, Dr. Lal Path, CRL Diagnostics.  
All investigation Need Clinical Correlation In Case of any unexpected results  
Contact us immediately.

Not Valid for Medical Legal Purpose.  
Email: citylabbugga@gmail.com

# CITY DIAGNOSTIC LABORATORY



Fully Automated & Computerized  
Technician:-  
DALWINDER SINGH  
(D.M.L.T.)

CHOBARAN ROAD, BUS STAND BUGGA KALAN (FATEHGARH SAHIB) (M) 84275-26751, 70098-01524

Name: JAGSEER SINGH DEPTT-HR & ADMIN Age: 24/Male

Date: 29-09-2025

Ref By Dr.---

Investigation: CBC Test

TEST NAME	RESULT	UNIT	NORMAL RANGE
<b>COMPLETE BLOOD COUNT (CBC)</b>			
Hb (Hb)	12.3	g/dl	12.0-17.0
Total WBC Count	7.100	/cumm	4000-10000
<b>Differential Leucocyte Count</b>			
Neutrophil	55.3	%	40.0-80.0
Lymphocyte	30.2	%	20.0-40.0
Mid	6.4	%	2-10
Absolute Neutrophils	3.1	1000/ $\mu$ L	2.00-7.00
Absolute Lymphocytes	1.2	1000/ $\mu$ L	1.00-3.00
Absolute Mid	0.4	1000/ $\mu$ L	0.20-1.00
RBC Count	4.55	Millions/cumm	3.7-5.2
Haematocrit (PCV)	38.8	%	36.0-50.0
MCV	85.9	fL	80-100
MCH	29.6	pg	27.0-32.0
MCHC	35.2	g/dL	27.0-48.0
RDW-CV	19.8	%	11.5-14.0
RDW-SD	44.7	fL	36-56
Platelet Count	2,89,000	/ $\mu$ L	150000-450000
MPV	9.8	%	9.1-11.9
PDW	16.7	%	9.0-15.0
PCT	0.210	%	0.180-0.390

## Interpretation:

Complete Blood Count (CBC) helps understand the number, size, and characteristics of different blood cells, which can provide clues about overall health and potential conditions. It's a common test used to detect issues like anemia, infections, and other blood disorders.

Reference ranges: Labs may have slightly different reference ranges, so it's important to compare results to the specific lab's guidelines.

Abnormal results: Abnormal CBC results don't always mean there's a serious problem, and further investigation may be needed to determine the cause.

Technologist

BIOCHEMISTRY ANALYZER FULLY AUTOMATED HEMATOLOGY CELL COUNTER

Authorized Collection Center:- Ranbary, Dr. Lal Path, CRL Diagnostics.  
All investigation Need Clinical Correlation In Case of any unexpected results  
Contact us immediately.

Not Valid for Medico Legal Purpose.  
Email: citylabbugga@gmail.com

# CITY DIAGNOSTIC LABORATORY



Fully Automated & Computerized

Technician:-  
DALWINDER SINGH  
(D.M.L.T.)

CHOB DARAN ROAD, BUS STAND BUGGA KALAN (FATEHGARH SAHIB) (M) 84275-26751, 70098-01524

Name : JAGSEER SINGH DEPTT - HR + ADMIN Age: 24/Male

Date: 29-09-2025

Ref By Dr....

Investigation: Billi, HBSAG Test

TEST NAME	RESULT	UNIT	NORMAL RANGE
-----------	--------	------	--------------

## BIO-CHEMISTRY

Bilirubin Total

0.42

mg/dl

<1.1

Bilirubin is a yellowish substance produced during the breakdown of red blood cells. It's a key component of bile, a fluid that helps with digestion, and is processed by the liver. High bilirubin levels can indicate liver problems or other medical conditions, potentially causing jaundice (yellowing of the skin and eyes).

## SEROLOGY

HBs'Ag

'NEGATIVE'

**Hepatitis B surface antigen** a protein found on the surface of the Hepatitis B virus. It helps determine if someone has been infected with the virus and can indicate the presence of either an acute or chronic infection. A positive result means the person is contagious and has an active infection.

\*\*\*END OF REPORT\*\*\*

Technologist

BIOCHEMISTRY ANALYZER FULLY AUTOMATED HEMATOLOGY CELL COUNTER

Authorised Collection Center:- Ranbaxy, Dr. Lal Path, CRI Diagnostics.  
All investigation Need Clinical Correlation in Case of any unexpected results  
Contact us immediately.

Not Valid for Medical Legal Purpose.  
Email: chytalbugga@gmail.com

# CITY DIAGNOSTIC LABORATORY



Fully Automated & Computerized

Technician:-  
DALWINDER SINGH  
(D.M.L.T.)

CHODARAN ROAD, BUS STAND BUGGA KALAN (FATEHGARH SAHIB) (M) 84275-26751, 70098-01524

Name: HARSII	DEPT- PROCESS	Age: 22/Male	Date: 29-09-2025
Ref By Dr....			
Investigation: CBC Test			

TEST NAME	RESULT	UNIT	NORMAL RANGE
<b>COMPLETE BLOOD COUNT (CBC)</b>			
Haemoglobin (Hb)	14.8	g/dl	12.0-17.0
Total WBC Count	5,500	/cumm	4000-10000
<b>Differential Leucocyte Count</b>			
Neutrophil	66.8	%	40.0-80.0
Lymphocyte	26.6	%	20.0-40.0
Mid	5.7	%	2-10
Absolute Neutrophils	4.6	1000/ $\mu$ L	2.00-7.00
Absolute Lymphocytes	2.0	1000/ $\mu$ L	1.00-3.00
Absolute Mid	2.9	1000/ $\mu$ L	0.20-1.00
RBC Count	3.84	Millions/cumm	3.7-5.2
Haematocrit (PCV)	35.2	%	36.0-50.0
MCV	91.3	fL	80-100
MCH	26.5	pg	27.0-32.0
MCHC	33.1	g/dL	27.0-48.0
RDW-CV	12.8	%	11.5-14.0
RDW-SD	46.9	fL	36-56
Platelet Count	1,78,000	/ $\mu$ L	150000-450000
MPV	10.4	%	9.1-11.9
PDW	13.2	%	9.0-15.0
PCT	0.187	%	0.180-0.390

## Interpretation:

Complete Blood Count (CBC) helps understand the number, size, and characteristics of different blood cells, which can provide clues about overall health and potential conditions. It's a common test used to detect issues like anemia, infections, and other blood disorders.

Reference ranges: Labs may have slightly different reference ranges, so it's important to compare results to the specific lab's guidelines.

Abnormal results: Abnormal CBC results don't always mean there's a serious problem, and further investigation may be needed to determine the cause.

Technologist

BIOCHEMISTRY ANALYZER FULLY AUTOMATED HEMATOLOGY CELL COUNTER

Authorised Collection Center:- Ranbaxy, Dr. Lal Path, CRL Diagnostics.  
All Investigation Need Clinical Correlation in Case of any unexpected results

Not Valid for Medical Legal Purpose.  
Email: citylabbugga@gmail.com

# CITY DIAGNOSTIC LABORATORY



Fully Automated & Computerized

Technician:-

DALWINDER SINGH

(D.M.L.T.)

CHODDARAN ROAD, BUS STAND BUGGA KALAN (FATEHGARH SAHIB)

(M) 84275-26751, 70098-01524

Name : HARSII	DEPTT- PROCESS	Age: 22/Male	Date: 29-09-2025
Ref By Dr....			
Investigation: Billi, HBSAG Test			

TEST NAME	RESULT	UNIT	NORMAL RANGE
-----------	--------	------	--------------

## BIO-CHEMISTRY

Bilirubin Total	0.64	mg/dl	<1.1
-----------------	------	-------	------

Bilirubin is a yellowish substance produced during the breakdown of red blood cells. It's a key component of bile, a fluid that helps with digestion, and is processed by the liver. High bilirubin levels can indicate liver problems or other medical conditions, potentially causing jaundice (yellowing of the skin and eyes).

## SEROLOGY

HBs'Ag

'NEGATIVE'

**Hepatitis B surface antigen** a protein found on the surface of the Hepatitis B virus. It helps determine if someone has been infected with the virus and can indicate the presence of either an acute or chronic infection. A positive result means the person is contagious and has an active infection.

\*\*\*END OF REPORT\*\*\*

Technologist

BIOCHEMISTRY ANALYZER FULLY AUTOMATED HEMATOLOGY CELL COUNTER

Authorised Collection Center:- Ranbaxy, Dr. Lal Path, CRL Diagnostics.  
All investigation Need Clinical Correlation In Case of any unexpected results  
Contact us Immediately.

Not Valid for Medical Legal Purpose.  
Email: citylabbugga@gmail.com

# CITY DIAGNOSTIC LABORATORY



Fully Automated & Computerized

Technician:-

DALWINDER SINGH

(D.M.L.T.)

CHODARAN ROAD, BUS STAND BUGGA KALAN (FATEHGARH SAHIB)

(M) 84275-26751, 70098-01524

Name: CHANDESHWAR DEPTT-PROCESS Age: 22/Male Date: 29-09-2025  
Ref By Dr....  
Investigation: CBC Test

TEST NAME	RESULT	UNIT	NORMAL RANGE
<b>COMPLETE BLOOD COUNT (CBC)</b>			
Haemoglobin (Hb)	11.9	g/dl	12.0-17.0
Total WBC Count	8,900	/cumm	4000-10000
<b>Differential Leucocyte Count</b>			
Neutrophil	41.1	%	40.0-80.0
Lymphocyte	22.9	%	20.0-40.0
Mid	4.5	%	2-10
Absolute Neutrophils	6.2	1000/ $\mu$ L	2.00-7.00
Absolute Lymphocytes	4.8	1000/ $\mu$ L	1.00-3.00
Absolute Mid	0.7	1000/ $\mu$ L	0.20-1.00
RBC Count	4.83	Millions/cumm	3.7-5.2
Haematocrit (PCV)	47.5	%	36.0-50.0
MCV	82.7	fL	80-100
MCH	25.1	pg	27.0-32.0
MCHC	38.3	g/dL	27.0-48.0
RDW-CV	13.5	%	11.5-14.0
RDW-SD	43.4	fL	36-56
Platelet Count	2,19,000	/ $\mu$ L	150000-450000
MPV	10.8	%	9.1-11.9
PDW	11.0	%	9.0-15.0
PCT	0.315	%	0.180-0.390

## Interpretation:

**Complete Blood Count (CBC)** helps understand the number, size, and characteristics of different blood cells, which can provide clues about overall health and potential conditions. It's a common test used to detect issues like anemia, infections, and other blood disorders.

**Reference ranges:** Labs may have slightly different reference ranges, so it's important to compare results to the specific lab's guidelines.

**Abnormal results:** Abnormal CBC results don't always mean there's a serious problem, and further investigation may be needed to determine the cause.

Technologist

**BIOCHEMISTRY ANALYZER FULLY AUTOMATED HEMATOLOGY CELL COUNTER**

Authorised Collection Center:- Ranbaxy, Dr. Lal Path, CRL Diagnostics.  
All Investigation Need Clinical Correlation In Case of any unexpected results  
Contact us immediately.

Not Valid for Medical Legal Purpose.  
Email: citylabbugga@gmail.com

# CITY DIAGNOSTIC LABORATORY



Fully Automated & Computerized

Technician:-  
DALWINDER SINGH  
(D.M.L.T.)

CHODDARAN ROAD, BUS STAND BUGGA KALAN (FATEHGARH SAHIB)

(M) 84275-26751, 70098-01524

Name: CHANDESHWAR DEPTT-PROCESS Age: 22/Male

Date: 29-09-2025

Ref By Dr....

Investigation: Billi, HBSAG Test

TEST NAME	RESULT	UNIT	NORMAL RANGE
-----------	--------	------	--------------

## BIO-CHEMISTRY

Bilirubin Total	0.39	mg/dl	<1.1
-----------------	------	-------	------

Bilirubin is a yellowish substance produced during the breakdown of red blood cells. It's a key component of bile, a fluid that helps with digestion, and is processed by the liver. High bilirubin levels can indicate liver problems or other medical conditions, potentially causing jaundice (yellowing of the skin and eyes).

## SEROLOGY

HBs'Ag

'NEGATIVE'

**Hepatitis B surface antigen** a protein found on the surface of the Hepatitis B virus. It helps determine if someone has been infected with the virus and can indicate the presence of either an acute or chronic infection. A positive result means the person is contagious and has an active infection.

\*\*\*END OF REPORT\*\*\*

Technologist

BIOCHEMISTRY ANALYZER FULLY AUTOMATED HEMATOLOGY CELL COUNTER

Authorised Collection Center:- Ranbaxy, Dr. Lal Path, CRL Diagnostics.  
All Investigation Need Clinical Correlation In Case of any unexpected results  
Contact us immediately.

Not Valid for Medical Legal Purpose.  
Email: citylabbugga@gmail.com

# CITY DIAGNOSTIC LABORATORY



Fully Automated & Computerized

Technician:-

DALWINDER SINGH

(D.M.L.T.)

CHODARAN ROAD, BUS STAND BUGGA KALAN (FATEHGARH SAHIB) | (M) 84275-26751, 70098-01524

Name :RAHUL PAL DEPTT- MECHANICAL Age:27/Male

Date: 29-09-2025

Ref By Dr....

Investigation: CBC Test

TEST NAME	RESULT	UNIT	NORMAL RANGE
<b>COMPLETE BLOOD COUNT (CBC)</b>			
Haemoglobin (HB)	14.4	g/dl	12.0-17.0
Total WBC Count	4,900	/cumm	4000-10000
<b>Differential Leucocyte Count</b>			
Neutrophil	71.6	%	40.0-80.0
Lymphocyte	38.2	%	20.0-40.0
Mid	8.4	%	2-10
Absolute Neutrophils	5.5	1000/ $\mu$ L	2.00-7.00
Absolute Lymphocytes	2.4	1000/ $\mu$ L	1.00-3.00
Absolute Mid	0.3	1000/ $\mu$ L	0.20-1.00
RBC Count	3.95	Millions/cumm	3.7-5.2
Haematocrit (PCV)	49.6	%	36.0-50.0
MCV	92.7	fL	80-100
MCH	31.8	pg	27.0-32.0
MCHC	30.0	g/dL	27.0-48.0
RDW-CV	12.5	%	11.5-14.0
RDW-SD	62.4	fL	36-56
Platelet Count	1,75,000	/ $\mu$ L	150000-450000
MPV	9.4	%	9.1-11.9
PDW	13.6	%	9.0-15.0
PCT	0.105	%	0.180-0.390

## Interpretation:

**Complete Blood Count (CBC)** helps understand the number, size, and characteristics of different blood cells, which can provide clues about overall health and potential conditions. It's a common test used to detect issues like anemia, infections, and other blood disorders.

**Reference ranges:** Labs may have slightly different reference ranges, so it's important to compare results to the specific lab's guidelines.

**Abnormal results:** Abnormal CBC results don't always mean there's a serious problem, and further investigation may be needed to determine the cause.

Technologist

**BIOCHEMISTRY ANALYZER FULLY AUTOMATED HEMATOLOGY CELL COUNTER**

Authorized Collection Center:- Ranbaxy, Dr. Lal Path, CRL Diagnostics.  
All Investigation Need Clinical Correlation In Case of any unexpected results  
Contact us immediately.

Not Valid for Medical Legal Purpose.  
Email: citylabbugga@gmail.com

# CITY DIAGNOSTIC LABORATORY



Fully Automated & Computerized

Technician:-

DALWINDER SINGH

(D.M.L.T.)

CHODARAN ROAD, BUS STAND BUGGA KALAN (FATEHGARH SAHIB) | (M) 84275-26751, 70098-01524

Name : RAHUL PAL DEPTT-MECHANICAL Age: 27/Male

Date: 29-09-2025

Ref By Dr....

Investigation: Billi, HBSAG Test

TEST NAME	RESULT	UNIT	NORMAL RANGE
-----------	--------	------	--------------

## BIO-CHEMISTRY

Bilirubin Total

0.51

mg/dl

<1.1

Bilirubin is a yellowish substance produced during the breakdown of red blood cells. It's a key component of bile, a fluid that helps with digestion, and is processed by the liver. High bilirubin levels can indicate liver problems or other medical conditions, potentially causing jaundice (yellowing of the skin and eyes).

## SEROLOGY

HBs'Ag

'NEGATIVE'

**Hepatitis B surface antigen** a protein found on the surface of the Hepatitis B virus. It helps determine if someone has been infected with the virus and can indicate the presence of either an acute or chronic infection. A positive result means the person is contagious and has an active infection.

\*\*\*END OF REPORT\*\*\*

Technologist

BIOCHEMISTRY ANALYZER FULLY AUTOMATED HEMATOLOGY CELL COUNTER

Authorised Collection Center:- Ranbaxy, Dr. Lal Path, CRL Diagnostics.  
All Investigation Need Clinical Correlation In Case of any unexpected results  
Contact us Immediately.

Not Valid for Medical Legal Purpose.  
Email: citylabbugga@gmail.com